


HIV BY EXPOSURE CATEGORY IN MARYLAND, 2017

September 2018


New HIV Diagnoses in Maryland

- There were 1,040 new HIV diagnoses in Maryland in 2017. 74.4% of the 752 male diagnoses were MSM, and 89.1% of female diagnoses were attributed to HET.
- The proportion of new HIV diagnoses that were IDU exposure has decreased from 1992 (52.7%) to 2017 (6.9%) but has recently been increasing since 2014 (5.6%).




Characteristics of Marylanders Living with HIV

Living HIV Cases by Exposure, 2017 (N = 30,566)



Living HIV Cases by Race and Exposure Category, 2017



- The Maryland living cases diagnosed with HIV that were HET and MSM were nearly equal.
- The distribution of exposure categories is very different for men and women. 75.1% of female cases have a HET exposure, while slightly more than half of male cases are MSM (58.5%).

MSM: Men who have Sex with Men | **HET:** Heterosexual Exposure | **IDU:** Injection Drug User | **NH:** Non-Hispanic

Center for HIV Surveillance, Epidemiology and Evaluation
Prevention and Health Promotion Administration
Maryland Department of Health
<http://phpa.health.maryland.gov/OIDEOR/CHSE>

Multiple imputation was used to estimate and adjust for missing transmission category.
Data represents adults and adolescents (ages 13+) only.
Data reported through 06/30/2018 from the Enhanced HIV/AIDS Reporting System.